

Model 20

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

20

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Swivel Attachment	3/8 in.	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 36

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

36

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Offset Eye Socket	3/8 in., 10 mm	Up to 2	3/8 x 2-1/2 in. lag Screw
Offset Eye Socket	3/8 in., 10 mm	Up to 4	3/8 bolt

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 37

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

37

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Offset Eye Socket	3/8 in.	Up to 2	#16x2 in. wood drive screws
Offset Eye Socket	3/8 in.	Up to 4	1/2 x 2-1/2 in. lag Screw
Eye Socket	1/2 in.	Up to 8	This device is not offset

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 40

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

40

Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Pipe Clamp	3/8 in.	3/4 in., 1 in., 1-1/4 in., 1-1/2 in., 2 in.	
Pipe Clamp	1/2 in.	2-1/2 in., 3 in., 3-1/2 in.	
Pipe Clamp	5/8 in.	4 in., 5 in.	
Pipe Clamp	3/4 in.	6 in.	
Pipe Clamp	7/8 in.	8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 55

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

55
Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Surge Device	3/8 in.	3/4 in., 1 in., 1-1/4 in., 1-1/2 in., 2 in.	To be used with the Model 141 Band Hanger

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 141

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

141

Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Band Hanger	3/8 in.	3/4 in., 1 in., 1-1/4 in., 1-1/2 in., 2 in.	"For use with 3/8"" Total Captive"
Band Hanger	10 mm	3/4 in., 1 in., 1-1/4 in., 1-1/2 in., 2 in.	For use with 3/8" Total Captive
Band Hanger	3/8 in.	2-1/2 in., 3 in., 3-1/2 in., 4 in.	
Band Hanger	10 mm	2-1/2 in., 3 in., 3-1/2 in., 4 in.	
Band Hanger	1/2 in.	5 in., 6 in., 8 in.	
Band Hanger	12 mm	5 in., 6 in., 8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 151

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

151

Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Band Hanger	1/2 in.	2-1/2 in., 3 in., 3-1/2 in.	
Band Hanger	5/8 in.	4 in., 5 in.	
Band Hanger	3/4 in.	6 in., 8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 250

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

250
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
C-Clamp	3/8 in.	Up to 4	
C-Clamp	1/2 in.	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 290

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

290

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
C-Clamp	3/8 in.	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 340

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

340
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	3/8 in.	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 345

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

345
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	3/8 in.	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 353/350

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

353/350
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Universal Beam Clamp	3/8 in., 10 mm	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 354/370/350

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

354/370/350
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	1/2 in., 12 mm	Up to 8	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 355/374/350

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

355/374/350
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	5/8 in.	Up to 8	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 356/350

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

356/350
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	3/4 in.	Up to 8	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 357/350

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

357/350
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	7/8 in.	Up to 8	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 358

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

358

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Retaining Strap	N/A	Up to 8	"Lengths: 4-1/2, 6, 8, 10, 12, 14 in."

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 359

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

359

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Retaining Strap	N/A	Up to 8	"Lengths: 4-1/2, 6, 8, 10, 12, 14 in."

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 363/360

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

363/360

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	3/8 in., 10 mm	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 364/360

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

364/360
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	1/2 in., 12 mm	Up to 8	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 370

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

370

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Top Beam Clamp	3/8 in.	Up to 4	
Top Beam Clamp	1/2 in.	Up to 8	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 450

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

450
Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Clevis Hanger	1/2 in.	2-1/2 in., 3 in., 3-1/2 in.	
Clevis Hanger	5/8 in.	4 in., 5 in.	
Clevis Hanger	3/4 in.	6 in., 8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 451

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

451

Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Clevis Hanger	1/2 in.	2-1/2 in., 3 in., 3-1/2 in.	
Clevis Hanger	5/8 in.	4 in., 5 in.	
Clevis Hanger	3/4 in.	6 in., 8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 453

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

453

Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Clevis Hanger	1/2 in.	2-1/2 in., 3 in., 3-1/2 in.	
Clevis Hanger	5/8 in.	4 in., 5 in.	
Clevis Hanger	3/4 in.	6 in., 8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 454

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

454
Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Clevis Hanger	1/2 in.	2-1/2 in., 3 in., 3-1/2 in.	
Clevis Hanger	5/8 in.	4 in., 5 in.	
Clevis Hanger	3/4 in.	6 in., 8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 550

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

550
Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Riser Clamp	N/A	3/4 in., 1 in., 1-1/4 in., 1-1/2 in., 2 in., 2-1/2 in., 3 in., 3-1/2 in., 4 in., 5 in., 6 in., 8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 551

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

551
Hanger

HANGERS

Hanger Type	Rod Size	Nominal Pipe Size	Comments
Riser Clamp	N/A	3/4 in., 1 in., 1-1/4 in., 1-1/2 in., 2 in., 2-1/2 in., 3 in., 3-1/2 in., 4 in., 5 in., 6 in., 8 in.	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 906

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

906

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Side Beam Connector	3/8 in.	Up to 2	#16x2 in. wood drive screws
Side Beam Connector	3/8 in.	Up to 4	1/2 x 2-1/2 in. lag Screw

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 907

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

907

Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Side Beam Bracket	3/8 in.	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 908

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

908
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Side Beam Bracket	3/8 in.	Up to 4	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 940

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

940
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Ceiling Flange	3/8 in.	Up to 2	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 940-S

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

940-S
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Ceiling Flange	3/8 in.	Up to 2	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 945

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

945
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
Ceiling Flange	3/8 in.	Up to 2	

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."

Model 990

File Number: EX2833

COMPANY

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

MODEL INFO

990
Hanger

HANGERS

Hanger Type	Rod Size	Maximum Nominal Pipe Size	Comments
In-Rack	3/8 in.	Up to 4	"Installed in flue spaces between pallet racks with ""Tear Drop"" or ""Interlake New style"" rack columns."

Report Date: 1972-05-09
Revision Date: 2025-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."